

Publikationsverzeichnis Priv.-Doz. Dr. med. Katharina Bühren

1. Originalarbeiten

Tam FI, ..., **Bühren K**, Ehrlich S (2025) The impact of the COVID-19 pandemic on administrative eating disorder prevalence in the outpatient sector and on severity of anorexia nervosa. Eur Child Adolesc Psychiatry. 2025; 34(3): 983–995

Hebebrand J, ..., **Bühren K**,, Peters T (2024) Premorbid body weight predicts weight loss in both anorexia nervosa and atypical anorexia nervosa: Further support for a single underlying disorder. Int J Eat Disord. Apr;57(4):967-982

Mullin M, ..., **Buehren K**, ..., Ruderder DM (2022) Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. Biol Psychiatry. Feb 1;91(3):313-327

Watson HJ, ..., **Buehren K**, ..., Bulik CM (2021) Common Genetic Variation and Age of Onset of Anorexia Nervosa. Biol Psychiatry Glob Open Sci. Sep 20;2(4):368-378.

Borsdorf B, Dahmen B, **Buehren K**, Dempfle A, Egberts K, Ehrlich S, Fleischhaker C, Konrad K, Schwarte R, Timmesfeld N, Wewetzer C, Biemann R, Scharke W, Herpertz-Dahlmann B, Seitz J (2021) BDNF levels in adolescent patients with anorexia nervosa increase continuously to supranormal levels 2.5-years after first hospitalization. J Psychiatry Neurosci. Sep 1;46(5):E568-E578

Peters T, Kolar D, Föcker M, **Bühren K**, Dahmen B, Becker K, Weber L, Correll C, Jaite C, Egberts K, Romanos M, Ehrlich S, Seidel M, Roessner V, Fleischhaker C, von Gontard A, Hahn F, Huss M, Kaess M, Legenbauer T, Renner T, Schulze U, Sinzig J, Wessing I, Antony G, Herpertz-Dahlmann B, Gradl-Dietsch G, Hebebrand J (2021) Reasons for admission and variance of body weight at referral in female inpatients with anorexia nervosa in Germany", Child Adolesc Psychiatry Ment Health. Dec 22;15(1):78

Munn-Chernoff MA, ... , **Buehren K**, ... , Agrawal A. Shared genetic risk between eating disorder- and substance-use-related phenotypes (2021) Evidence from genome-wide association studies. Addict Biol. Jan;26(1): e12880.

Engelhardt C, Föcker M, **Bühren K**, Dahmen B, Becker K, Weber L, Correll CU, Egberts KM, Ehrlich S, Roessner V, Fleischhaker C, von Gontard A, Hahn F, Jenetzky E, Kaess M, Legenbauer T, Renner TJ, Schulze UME, Sinzig J, Wessing I, Antony G, Herpertz-Dahlmann B, Peters T, Hebebrand J (2020) Age dependency of body mass index distribution in childhood and adolescent inpatients with anorexia nervosa with a focus on DSM-5 and ICD-11 weight

criteria and severity specifiers. Eur Child Adolesc Psychiatry. Jul;30(7):1081-1094

Bryois J, Skene NG, Hansen TF, Kogelman LJA, Watson HJ, Liu Z; Eating Disorders Working Group of the Psychiatric Genomics Consortium; International Headache Genetics Consortium; 23andMe Research Team, Brueggeman L, Breen G, Bulik CM, Arenas E, Hjerling-Leffler J, Sullivan PF (2020) Genetic identification of cell types underlying brain complex traits yields insights into the etiology of Parkinson's disease. Nat Genet;52(5):482-493.

Mattheus HK, Wagner C, Becker K, **Bühren K**, Correll CU, Egberts KM, Ehrlich S, Fleischhaker C, Föcker M, Hahn F, Hebebrand J, Herpertz-Dahlmann B, Jaite C, Jenetzky E, Kaess M, Legenbauer PhD T, Pfeiffer PhD JP, Renner Md TJ, Roessner V, Schulze U, Sinzig J, Wessing I, von Gontard A (2020) Incontinence and constipation in adolescent patients with anorexia nervosa-Results of a multicenter study from a German web-based registry for children and adolescents with anorexia nervosa. Int J Eat Disord;53(2):219-228.

Jaite C, **Bühren K**, Dahmen B, Dempfle A, Becker K, Correll CU, Egberts KM, Ehrlich S, Fleischhaker C, von Gontard A, Hahn F, Kolar D, Kaess M, Legenbauer T, Renner TJ, Schulze U, Sinzig J, Thomae E, Weber L, Wessing I, Antony G, Hebebrand J, Föcker M, Herpertz-Dahlmann B (2019) Clinical Characteristics of Inpatients with Childhood vs. Adolescent Anorexia Nervosa. Nutrients;11(11):2593.

Watson HJ, ... , **Bühren K**, ... , Bulik CM (2019) Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. Nat Genet;51(8):1207-1214.

Kolar DR, **Bühren K**, Herpertz-Dahlmann B, Becker K, Egberts K, Ehrlich S, Fleischhaker C, von Gontard A, Hahn F, Huss M, Jaite C, Kaess M, Legenbauer T, Renner TJ, Roessner V, Schulze U, Sinzig J, Wessing I, Hebebrand J, Föcker M, Jenetzky E (2018) Seasonal variation of BMI at admission in German adolescents with anorexia nervosa. PLoS One;13(9):e0203844.

Herpertz-Dahlmann B, Dempfle A, Egberts KM, Kappel V, Konrad K, Vloet JA, **Bühren K** (2018) Outcome of childhood anorexia nervosa-The results of a five- to ten-year follow-up study. Int J Eat Disord;51(4):295-304.

Föcker M, Heidemann-Eggert E, Antony G, Becker K, Egberts K, Ehrlich S, Fleischhaker C, Hahn F, Jaite C, Kaess M, M E Schulze U, Sinzig J, Wagner C, Legenbauer T, Renner T, Wessing I, Herpertz-Dahlmann B, Hebebrand J, **Bühren K** (2017) The inpatient treatment of patients with anorexia nervosa in German clinics, Z Kinder Jugendpsychiatr Psychother;45(5):381-390 (IF 1,0)

Bühren K, Herpertz-Dahlmann B, Dempfle A, Becker K, Egberts KM, Ehrlich S, Fleischhaker C, von Gontard A, Hahn F, Jaite C, Kaess M, Legenbauer T, Renner TJ, Schrötter E, Schulze

U, Sinzig J, Antony G, Hebebrand J, Föcker M (2017) First Sociodemographic, Pretreatment and Clinical Data from a German Web-Based Registry for Child and Adolescent Anorexia Nervosa, Z Kinder Jugendpsychiatr Psychother;45(5):393-400

Li D, Chang X, Connolly JJ, Tian L, Liu Y, Bhoj EJ, Robinson N, Abrams D, Li YR, Bradfield JP, Kim CE, Li J, Wang F, Snyder J, Lemma M, Hou C, Wei Z, Guo Y, Qiu H, Mentch FD, Thomas KA, Chiavacci RM, Cone R, Li B, Sleiman PA; **Eating Disorders Working Group of the Psychiatric Genomics Consortium**; Price Foundation Collaborative Group, Hakonarson H (2017) A genome-wide association study of anorexia nervosa suggests a risk locus implicated in dysregulated leptin signaling. Sci Rep;7(1):3847

Schwarte R, Timmesfeld N, Dempfle A, Krei M, Egberts K, Pfeiffer E, Fleischhaker C, Wewetzer C, Herpertz-Dahlmann B, Seitz J, **Bühren K** (2016) Expressed Emotions and Depressive Symptoms in Caregivers of Adolescents with First-Onset Anorexia Nervosa – A Long-Term Investigation over 2.5 Years, Eur Eat Dis Rev, 25(1):44-51

Hinney A, Kesselmeier M, Jall S, Volckmar AL, Föcker M, Antel J; **GCAN**; WTCCC3, Heid IM, Winkler TW; GIANT, Grant SF; EGG, Guo Y, Bergen AW, Kaye W, Berrettini W, Hakonarson H; Price Foundation Collaborative Group; Children's Hospital of Philadelphia/Price Foundation, Herpertz-Dahlmann B, de Zwaan M, Herzog W, Ehrlich S, Zipfel S, Egberts KM, Adan R, Brandys M, van Elburg A, Boraska Perica V, Franklin CS, Tschöp MH, Zeggini E, Bulik CM, Collier D, Scherag A, Müller TD, Hebebrand J (2016) Evidence for three genetic loci involved in both anorexia nervosa risk and variation of body mass index. Mol Psychiatry; 22(2):192-201

Seitz J, **Bühren K**, Biemann R, Timmesfeld N, Dempfle A, Winter SM, Egberts K, Fleischhaker C, Wewetzer C, Herpertz-Dahlmann B, Hebebrand J, Föcker M (2016) Leptin levels in patients with anorexia nervosa following day/inpatient treatment do not predict weight 1 year post-referral. Eur Child Adolesc Psychiatry; 25(9):1019-25

Hillen S, Dempfle A, Seitz J, Herpertz-Dahlmann B, **Bühren K** (2015) Motivation to change and perceptions of the treatment hospital admission process to hospital treatment with respect to treatment outcomes in adolescent anorexia nervosa, BMC Psychiatry, 15:140

Seidel M, King JA, Ritschel F, Döpmann J, **Bühren K**, Seitz J, Roessner V, Westphal S, Egberts K, Burghardt R, Wewetzer C, Fleischhaker C, Hebebrand J, Herpertz-Dahlmann B, Ehrlich S (2015) Serum visfatin concentration in acutely ill and weight-recovered patients with anorexia nervosa. Psychoneuroendocrinology; 53:127-35

Föcker M, **Bühren K**, Timmesfeld N, Dempfle A, Knoll S, Schwarte R, Egberts KM, Pfeiffer E, Fleischhaker C, Wewetzer C, Hebebrand J, Herpertz-Dahlmann B (2015) The relationship between premorbid body weight and weight at referral, at discharge and at 1-year follow-up in anorexia nervosa. Eur Child Adolesc Psychiatry; May 24(5):537-44

Huckins LM, Boraska V, Franklin CS, Floyd JA, Southam L; **GCAN**; WTCCC3, Sullivan PF, Bulik CM, Collier DA, Tyler-Smith C, Zeggini E, Tachmazidou I; GCAN; WTCCC3 (2014) Using ancestry-informative markers to identify fine structure across 15 populations of European origin. Eur J Hum Genet; Oct 22(10):1190-200

Boraska V, ..., **Bühren K**,..., Bulik CM (2014) A genome-wide association study of anorexia nervosa. Mol Psychiatry;19(10):1085-94

Wacker-Gußmann A, **Bühren K**, Schultheiss C, Braun SL, Page S, Saugel B, Schmid S, Mair S, Schoemig A, Schmid RM, Huber W (2014) Prediction of contrast-induced nephropathy in patients with serum creatinine levels in the upper normal range by cystatin C: a prospective study in 374 patients. Am J Roentgenol; Feb 202(2):452-8

Herpertz-Dahlmann B, Schwarte R, Krei M, Egberts KM, Warnke A, Wewetzer C, Pfeiffer E, Fleischhaker C, Scherag A, Holtkamp K, Hagenah U, **Bühren K**, Konrad K, Schmidt U, Schade-Brittinger C, Timmesfeld N, Dempfle A (2014) Day Patient Treatment after Short Inpatient Care vs. Inpatient Treatment in Adolescent Anorexia Nervosa: a multicenter, randomized open-label, non-inferiority trial, Lancet;383(9924):1222-9

Bühren K, Gärtner L, Kennes LN, Seitz J, Hagenah U, Herpertz-Dahlmann B (2014) Hämatologische Veränderungen bei Anorexia nervosa im Kindes- und Jugendalter, Z Kinder Jugendpsychiatr Psychother;42(1):19-26

Bühren K, Schwarte R, Fluck F, Timmesfeld N, Egberts K, Pfeiffer E, Fleischhaker C, Wewetzer C, Herpertz-Dahlmann B (2014) Comorbid psychiatric disorders in female adolescents with first-onset anorexia nervosa, Eur Eat Dis Rev;22(1):39-44

Bühren K, von Ribbeck L, Schwarte R, Egberts K, Pfeiffer E, Fleischhaker C, Wewetzer C, Kennes LN, Herpertz-Dahlmann B (2013) Body mass index in adolescent anorexia nervosa patients in relation to age, time point and site of admission, Eur Child Adolesc Psychiatry; 22(7): 395-400

Dempfle A, Herpertz-Dahlmann B, Timmesfeld N, Schwarte R, Egberts K, Pfeiffer E, Fleischhaker C, Wewetzer C, **Bühren K** (2013) Predictors of resumption of menses in adolescent anorexia nervosa, BMC Psychiatry;13:308

Föcker M, Timmesfeld N, Scherag S, Knoll N, Singmann P, Wang-Sattler R, **Bühren K**, Schwarte R, Egberts K, Fleischhaker C, Adamski J, Illig T, Suhre K, Albayrak O, Hinney A, Herpertz-Dahlmann B, Hebebrand J (2012) Comparison of metabolic profiles of acutely ill and short-term weight recovered patients with anorexia nervosa reveals alterations of 33 out of 163 metabolites. J Psychiatr Res; 46(12):1600-9

Bühren K, Mainz V, Herpertz-Dahlmann B, Schäfer K, Kahraman-Lanzerath B, Lente C, Konrad K (2012) Attention and cognitive flexibility in juvenile anorexia nervosa patients before and after weight recovery. J Neural Transm. 2012 Sep;119(9):1047-57

Bühren K, Konrad K, Schäfer K, Kratzsch J, Kahraman-Lanzerath B, Lente C, Herpertz-Dahlmann B (2011) Learning and memory in adolescent anorexia nervosa before and after weight recovery - Association of neuroendocrinological parameters and learning, memory and depressive symptoms in adolescent patients with anorexia nervosa before and after weight gain, J Neural Transm; 118(6):963-8

Bechdorf A, Müller H, Stützer H, Wagner M, Maier W, Lautenschlager M, Heinz A, de Millas W, Janssen B, Gaebel W, Michel TM, Schneider F, Lambert M, Naber D, Brüne M, Krüger-Özgüldal S, Wobrock T, Riedel M, Klosterkötter J; **PREVENT study group** (2011) Rationale and baseline characteristics of PREVENT: a second-generation intervention trial in subjects at-risk (prodromal) of developing first-episode psychosis evaluating cognitive behavior therapy, aripiprazole, and placebo for the prevention of psychosis. Schizophr Bull; Sep;37 Suppl 2:S111-21.

Föcker M, Timmesfeld N, Scherag S, **Bühren K**, Langkamp M, Dempfle A, Sheridan EM, de Zwaan M, Fleischhaker C, Herzog W, Egberts K, Zipfel S, Herpertz-Dahlmann B, Hebebrand J (2011) Screening for anorexia nervosa via measurement of serum leptin levels. J Neural Transm; 118(4):571-8

Holtkamp K, **Bühren K**, Ponath G, von Eiff C, Herpertz-Dahlmann B, Hebebrand J, Rothermundt M (2008) Serum levels of S100B are decreased in chronic starvation and normalize with weight gain. J Neural Transm; 115(6):937-40

2. Reviews

Seitz J, **Bühren K**, von Polier GG, Heussen N, Herpertz-Dahlmann B, Konrad K (2014) Morphological changes in the brain of acutely ill and weight-recovered patients with anorexia nervosa. A meta-analysis and qualitative review. Z Kinder Jugendpsychiatr Psychother; 42(1):7-17

Herpertz-Dahlmann B, **Bühren K**, Remschmidt H (2013) Growing up is hard: mental disorders in adolescence. Dtsch Arztebl Int; 110(25):432-9

Herpertz-Dahlmann B, **Bühren K**, Seitz J (2011) Anorexia nervosa in childhood and adolescence: course and significance for adulthood. Nervenarzt; 82(9):1093-9

Bühren K, Holtkamp K, Herpertz-Dahlmann B, Konrad K (2008) Neuropsychological performance in anorexia and bulimia nervosa. Z Kinder Jugendpsychiatr Psychother; 36(6):377-86

3. Buchkapitel:

Bühren K (2022) Nutritional Rehabilitation in Eating Disorders. World Rev Nutr Diet;124:315-320

Legenbauer T, Bühren K, Preuss-van Viersen H: Bulimia nervosa, in: Herausgeberband "Essstörungen bei Kindern und Jugendlichen", Kohlhammer

Legenbauer T, Bühren K: Essstörungen bei Kindern und Jugendlichen, in: Psychiatrie und Psychotherapie des Kindes- und Jugendalters, Springer, im Druck

Legenbauer T, Bühren K, Schmiege I: Anorexia nervosa, Leitfaden Kinder- und Jugendpsychotherapie, Manfred Döpfner / Martin Holtmann /Franz Petermann (Hrsg.), Hogrefe, in Vorbereitung